



VERSATILE

• HIGH EFFICIENCY


• LIGHTWEIGHT

• COST EFFECTIVE

The Site Cast, Tilt-Up Concrete Wall Form with
MORE CHOICES!


Insulated Panels

*Minimum R-27 Insulating Value
Interior Attachment Rails
Custom Engineered*




Sandwich Panels

*Less Concrete, more Insulation
Pre-finish Both Sides
Custom Engineered*




Un-Insulated Panels

*Re-use EPS Forms
Stack Casting Saves Time
Custom Engineered*



*Save on labor, equipment, shipping, space and time for all kinds of
Commercial, Residential, and Institutional Projects*



Lightweight EPS forms

*Typical forms weigh less than
2 lbs. per square foot.*

Custom Lengths & Widths

*Order custom sizes or
customize on the job.*



Cures Faster, Less Downtime

*Insulating forms can reduce
curing time approx. 30%.*

Stack Casting Saves Space

*Reduce crane time
and accelerate curing.*



You Choose and Lite-Deck

Removable EPS Edge Form



Interior Attachment Rails



Post-Tensioning Installs Faster



Easy-cut Blockouts



Custom Sandwich Walls



Site-Cast Roof Panels





Thinner Walls, Less Weight
Typical panels weigh 55-75 lbs. per sq. ft.



Smaller Cranes lift Larger Panels
Handle custom lengths 50 ft. or more, and custom widths of 40 ft. or more.

TILT will Deliver

Pre-finished Concrete Surfaces



Stain and Stamp



No Treat, Re-usable TILT Forms



Sound Control - Nom. STC 50



**Custom Forms and Tech Support
Exclusively from a
Licensed Service Center
Near You!**



THIS CHANGES EVERYTHING!



 **LITE-DECK**® **Tilt**
Site-Cast Concrete Wall System

 **LITE FORM**®
technologies

Bright Ideas in Concrete Building Systems

1950 W. 29th St. • South Sioux City, NE. 68776

Toll Free: 800-551-3313

FAX: 402-241-4402 • www.litedeck.com